



Water Drainage System Flanged Steel Pipe Fittings Y Pipe Fitting Powder Coating

Our Product Introduction

Basic Information

- Place of Origin: Ningbo China
- Brand Name: NC135
- Certification: ISO 9001
- Model Number: 135
- Minimum Order Quantity: 1 pcs
- Packaging Details: Wooden Case
- Delivery Time: 35 days
- Payment Terms: T/T, L/C
- Supply Ability: 200,000 pcs per month



Product Specification

- Material: Cast Iron
- Technics: Casting
- Type: Y Pipe
- Surface Treatment: Powder Coating
- Test: 100% Water Pressure Test
- Quality Control: Strict Inspection As Per Standard
- Highlight: **pipe fitting components, cast iron flanged fittings**



More Images



for more products please visit us on greycastironcasting.com

Product Description

Water Drainage System Flanged Steel Pipe Fittings Y Pipe Fitting Powder Coating

Description

Flanged Pipe Fittings are often used in rigid piping conditions such as waste water treatment or filtration and industrial fluid process applications.

We can offer ductile iron or stainless steel on laterals, elbows, reducers, true wyes, crosses, tees, spool pieces, blind flange.

Flanged Steel Pipe Fittings Available:

laterals elbows reducing tees
concentric reducer eccentric
reducer reducing crosses
true wyes welded crosses tees
spool pieces custom fittings

Features

1. It possesses reliable connectivity, high interface strength, good airtight performance, and stable welding performance.
2. It is easily welded and operated, and conveniently used.
3. It is not easily affected by changes in environment temperature or human factors.
4. The hidden spiral heating wires buried inside can effectively resist oxidation and rust corrosion, ensuring stable welding performance.
5. The cost of equipment investment and maintenance is low.
6. Used in gas, water, oil filed, mine, chemical industry, irrigation and drainage.

Product Details


Material: Ductile Iron or Grey Iron

Process: Automatics machine lines, Resin Sand, Molding Boards, Green Sand with hand molding

Packing: Wood pallet, Steel pallet, as per customers' requirements

Inspection: 100% inspection before shipment, third Party inspection available upon request

Material	Ductile Cast Iron GGG50, QT500-7 / 450-10
Standard	ISO2531 BS EN545 EN598 BS4772 DIN2501,GBT13295
Flange drilled	ISO7005-2,BS4504, EN1092-2, DIN2501
Pressure	PN10, PN16 / class125, PN25
Specification	DN50 to DN2000(2"-80")
Joints type	Flange, Tyton joint(push on joint); Bolted Gland K type Joint
Application	water supply project, drainage, sewerage, Irrigation
Certificates	ISO2531:2009, BS EN545:2010, ISO9001, ISO14001, ISO18001,
Surface Inside	Portland Cement mortar lining, bitumen painting, epoxy liquid or epoxy powder
Surface Outside	bitumen painting(70um), epoxy liquid(100-150um) or powder (250um)



FAQ

1. Why choose us?

We are a professional pipe fitting factory, we have competitive price an faster delivery, and we also have the best quality.

2. How to buy the product?

Contact with us by email or by Trade Manager, and inform us all information which you want, or tell us which kind of products you want, will contact you immediately, or we could recommend style to you.

3. Can you put your Design and logo on product?

Yes, we have professional design service team, we can make any sample as your design, and also can put your logo on products.

4. What's the payment term?

We can accept for L/C, T/T. Any other payment as your request.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com