



AWWA C153 Cast Iron Pipe Fittings Mechanical Joint Pipe Fitting MJ x MJ Tees

Our Product Introduction

for more products please visit us on greycastironcasting.com

Basic Information

- Place of Origin: Ningbo China
- Brand Name: NC137
- Certification: ISO 9001
- Model Number: 137
- Minimum Order Quantity: 1 pcs
- Packaging Details: Wooden Case, Pallett, Crate
- Delivery Time: 25-50 days
- Payment Terms: T/T, L/C
- Supply Ability: 200,000 pcs per month



Product Specification

- Material: Ductile Iron
- Production Process: Casting
- Type: Mechanical Joint Fittings
- Surface Treatment: Powder Coating/FBE
- Pressure: PN10/PN16 For Ductile Iron Pipe Fitting
- Standard: ISO 2531/EN545/EN598/GB132
- Quality Control: Strict Inspection As Per Standard
- OEM: Available
- Highlight: **ductile iron pipe fittings, cast iron flanged fittings**



More Images



Product Description

AWWA C153 Cast Iron Pipe Fittings Mechanical Joint Pipe Fitting MJ x MJ Tees

Sunrise Foundry is Located in Ningbo, China, Specialized in manufacturing and exporting castings for water, sewer, drainage, telecommunications pipeline and industrial castings.

Products are mainly including ductile iron pipe fittings, couplings, valves, manhole covers, bollards, and OEM products in different materials, sizes and technical processes.

We rigorously implement our criteria for product quality, economic, efficiency and delivery dependability with respect to our clients.

Ductile iron pipe fittings types

Fixed flange and loose flange and mechanical joint and push in joint, and express joint, pvc socket, total 6 type joint. Various Bend, tee, reducer, duckfoot bend, collar, bell mouth, short piece, threaded flange, flange adapter, flexible coupling.

Product Detail

Material	
Ductile iron grade 500-7 / 450-12 in accordance with ISO 1083	
Flange	
drilling in accordance with ANSI B16.1 / B16.5	
Fluid Temperature	
0°C-50°C, excluding frost	
Coating	
External coatings	Internal coatings
zinc + bitumen painting	cement mortar lining
liquid epoxy resin painting	liquid epoxy resin painting
epoxy applied by FBE	epoxy applied by FBE
according to customers' requirements	according to customers' requirements
Reference Rules	
Dimensions and testing in accordance with AWWA C110 / AWWA C153	
Usage	
Jointed by the bolts, nuts and sealed by the gaskets.	



Application: Stormwater systems, Wastewater systems, Irrigation systems

Our Service

Any inquiry will be quoted within 48 hours

Exclusive and unique solutions will be provided by our well-experienced senior consultant team

You can get more information about Chinese market from us timely deliver.

Special discount and protection of sales area will be provided to our distributor.

FAQ

1. How is your price?

A: Our prices are very favorable and competitive. Because of our best price, customers from all over the world come to purchase our products.

2. How long is your warranty?

A: Our Warranty is 12 month.

3. Can I get free samples?

A: Yes, we can provide you the free samples, but you need to bear their own delivery costs.

4. Can I request to change the form of packaging and transportation?

A: Yes, We can change the form of the packaging and transportation according to your request, but you have to bear their own costs incurred during this period and the spreads.

5. Can I request to advance the shipment?

A: It should be depends on whether there is sufficient inventory in our warehouse.

6. Could you specially design and produce for clients?

A: Sure, we have all kinds of professional engineers. We can design and produce special products according to customers' request. Such as: special size, special control, OEM, etc.

7. What's our main market?

A: Our main market is African, Middle East Countries, South American, Asian.

8. What's your payment?

100% T/T, 30% in advance, others before shipment, L/C.



Sunrise Foundry CO.,LTD



+86-15067447509



sales@greycastironcasting.com



greycastironcasting.com